


### **Instructions**

# Danfoss

## Electronic Unit for BD35/BD50F Compressors, 101N0500, 12/24V DC & 100-240V AC 50/60Hz



protection	settings D	C Fig. 4	$\bigcirc$		* >	
Resistor	12V cut-out	12V cut-in	12V max.	24V cut-out	24V cut-in	24V max.
(9) kΩ	V	V	Voltage	V	V	Voltage
0	9.6	10.9	17.0	21.3	22.7	31.5
1.6	9.7	11.0	17.0	21.5	22.9	31.5
2.4	9.9	11.1	17.0	21.8	23.2	31.5
3.6	10.0	11.3	17.0	22.0	23.4	31.5
4.7	10.1	11.4	17.0	22.3	23.7	31.5
6.2	10.2	11.5	17.0	22.5	23.9	31.5
8.2	10.4	11.7	17.0	22.8	24.2	31.5
11	10.5	11.8	17.0	23.0	24.5	31.5
14	10.6	11.9	17.0	23.3	24.7	31.5
18	10.8	12.0	17.0	23.6	25.0	31.5
24	10.9	12.2	17.0	23.8	25.2	31.5
33	11.0	12.3	17.0	24.1	25.5	31.5
47	11.1	12.4	17.0	24.3	25.7	31.5
82	11.3	12.5	17.0	24.6	26.0	31.5
220	9.6	10.9				31.5

### Wire dimensions DC

AWG   Cross   12V DC		Max length* 12V DC operation		Max le 24V oper	DC
Gauge	mm²	ft.	m	ft.	m
12	2.5	8	2.5	16	5
12	4	13	4	26	8
10	6	20	6	39	12
8	10	33	10	66	20

Fig. 2 \*Length between battery and electronic unit

### **Wire dimensions AC**

Cross section min. 0.75 mm<sup>2</sup> or AWG 18

### Standard battery protection settings DC

12V cut-out	12V cut-in	24V cut-out	24V cut - in
V	V	V	V
10.4	11.7	22.8	24.2

Fig. 3

### **Compressor speed**

Electronic	Resistor	Motor	Contr.circ.
unit	(8) Ω	speed	current
	(calculated)	rpm	mA
00	0	2,000	5
2050	277	2,500	4
10140500	692	3,000	3
	1523	3,500	2

Fig

If a main switch (12) is used, it should be rated to a current of min. 6A. The wire dimensions must be min.

NB: Earth connection can be used if required.

General: Both the AC and the DC power supply can be connected to the electronic unit at the same time. In this case, AC will be preferred power supply source. If the AC power supply is disconnected or drop below 85V AC on a 12V DC supply system, a time delay of 1 min. will be activated before the compressor continues on DC power supply. If AC power supply is re-established there will be no delay in compressor operation.

### **Battery protection (Fig. 1)**

0.75 mm<sup>2</sup> or AWG 18.

The compressor is stopped and re-started again according to the decided voltage limits measured on the + and - terminals of the electronic unit.

The standard settings for 12V and 24V power supply systems appear from **Fig. 3**.

Other settings are optional if a connection which includes a resistor (9) is established between terminals **C** and **P**. See manual.

### Thermostat (Fig. 1)

The thermostat (7) is connected between the terminals **C** and **T**. Without any resistor in the control circuit, the compressor will run with a fixed speed of **2,000 rpm** when the thermostat is switched on. Other fixed compressor speeds in the range between 2,000 and 3,500 rpm can be obtained when a resistor (8) is installed to adjust the current (mA) of the control circuit. Resistor values for various motor speeds appear from **Fig. 5**.

### Fan (optional, Fig. 1)

A fan (5) can be connected between the terminals + and **F**. Connect the plus to + and the minus to **F**. Since the output voltage between the terminals + and **F** is always regulated to 12V,

a 12V fan must be used for both 12V and 24V power supply systems. The fan output can supply

a continuous current of **0.5A**..., A higher current draw is allowed for 2 seconds during start.

### Lamp (optional, Fig. 1)

A 12V DC 5 Watt lamp (10) can be connected between the terminals **A** and **C**. The output voltage between the terminals A and C is always regulated to 12V DC. **A 12V DC lamp must be used for both 12V and 24V power supply systems.** The lamp output can supply a continuous current of **0.5A**<sub>m</sub>.

### LED (optional, Fig. 1)

A 10mA light emitting diode (LED) (6) can be connected between the terminals + and **D**. If the electronic unit records an operational error, the diode will flash a number of times. The number of flashes depends on what kind of operational error was recorded. Each flash will last ¼ second. After the actual number of flashes there will be a delay with no flashes, so that the sequence for each error recording is repeated every 4 seconds.

Number of flashes	Error type
5	Thermal cut-out of electronic unit (If the refrigeration system has been too heavily loaded or if the ambient temperature is high, the electronic unit will run too hot).
4	Minimum motor speed error (If the refrigeration system is too heavily loaded, the motor cannot maintain minimum speed 1,850 rpm).
3	Motor start error (The rotor is blocked or the differential pressure in the refrigeration system is too high (>5 bar)).
2	Fan over-current cut-out (The fan loads the electronic unit with more than $1A_{peak}$ ).
1	Battery protection cut-out (The voltage is outside the cut-out setting).

<u>DC:</u> The electronic unit must always be connected directly to the battery poles (2). Connect the plus to + and the minus to -, otherwise the electronic unit will not work. The electronic unit is protected against reverse battery connection.

**ENGLISH** 

The electronic unit is a multi voltage device. It can be

used in both 12V/24V DC and 100-240V AC 50/60Hz

power supply systems. Max. voltage is 17V DC for a 12V DC system and 31.5V DC for a 24V DC power

supply system. Max. voltage is 265V AC and min.

85V AC for an AC power supply system. Max. ambient temperature is 55°C. The electronic unit has a

built-in thermal protection which is actuated and

stops the compressor operation if the electronic unit

temperature becomes too high (100°C/212°F on the

PCB). Power consumption is limited to 100W. See

Connect the terminal plug from the electronic unit

to the compressor terminal. Mount the electronic

unit on the compressor by snapping the cover over

datasheet BD50F for details.

Installation (Fig. 1)


the screw head (1).

Power supply (Fig. 1)

For protection of the installation, a fuse (3) must be mounted in the + cable as close to the battery as possible. It is recommended to use 15A fuses for 12V and 7.5A fuses for 24V circuits. If a main switch (4) is used, it should be rated to a current of min. 20A. The wire dimensions in **Fig. 2** must be observed. Avoid extra junctions in the power supply system to prevent voltage drop from affecting the battery protection setting.

AC: The wires must be connected to the terminals marked **L** and **N** on the electronic unit. Nominal voltages from 100 to 240 VAC 50/60Hz. Upper

safety cut-out limit = 270V AC and lower limit 80V AC. A 4A fuse (11) must be mounted in the live (**L**) cable to protect the installation.







### Electronic Units for BD Compressors

# VDE/UL/CSA Approvals for BD Compressors Approved Compressor - Electronic Unit Combinations

Compressors						Ele	<b>Electronic Units</b>					
		Standard	EMI	Extended EMI	AEO	AEO EMI	Solar	AC/DC conv.	High start	AC/DC conv. High start   High speed   Automotive   Automotive	Automotive	Automotive
		101N0210	101N0220	101N0900	101N0300	101N0300   101N0320	101N0400	101N0500	101N0230	101N0400   101N0500   101N0230   101N0290   101N0600   101N0630	101N0600	101N0630
BD35F mm	101Z0Z00	UL/CSA	UL/CSA		UL/CSA		UL/CSA	VDE/UL/CSA				
BD35F inch	101Z0204	UL/CSA	UL/CSA		UL/CSA		UL/CSA	VDE/UL/CSA				
BD35K (R600a)	101Z0Z11											
BD50F mm	101Z1220	UL/CSA	UL/CSA		UL/CSA			VDE/UL/CSA	UL/CSA			
BD50F inch	101Z0203	UL/CSA	UL/CSA		UL/CSA			VDE/UL/CSA	UL/CSA			
BD80F mm	101Z0280											
BD250GH	101Z0400											
BD250GH Twin	101Z0500											
<b>BD100CN (R290)</b> 101Z0401	101Z0401											

VDE/UL/CSA	= Combination possible, VDE or UL or CSA approval
	= Combination possible, but no approval
	= Combination not possible